

The brand quality assurance.



















SAE/DOT/ECE

# LED LIGHTS Auto Accessories

2013









#### **GRAND SOUTH GROUP**

Grand South-Group International CO. was founded in 1991, located in Taipei, Taiwan. We concentrate on developing and manufacturing Auto Accessories, including LED Truck Lights, LED Lights Bar, 3RD Brake Lights, LED Replacement Bulb, etc.

Grand South-Group was approved ISO 9001 certified. The LED Truck Lights meet FMVSS108 for USA and it is the first on behalf of SAE certified in Taiwan. Most of our products have been certified by SAE and E-mark.







Department of Transportation

Society of Automotive Engineers

Now, Grand South-Group has earned a good reputation in the market. In the future, we have the innovation plans and goals and hope to contribute our mental and physical efforts in the lamps with our commitment.



We are looking forward to serving you in the near future.



Photometric equipment

### INDEX

#### TRUCK LIGHTS meet FMVSS 108 DOT standard

01 - 08 LED Clearance/Marker Lights

09 - 14 LED Stop/Tail/Turn/Parking Lights

15 - 16 LED Brake/Marker Lights

17 - 19 LED Dome/Back-up Lights

20 - 24 LED Trailer Lights W/S.S Bracket

#### LED LIGHTS BAR meet FMVSS 108 DOT standard

25 - 28 LED Lights Bar

#### 3RD BRAKE LIGHTS SAE/DOT standard

29 - 37 3RD Brake Lights

#### LED REPLACEMENT BULB

38 LED Replacement Bulb

#### TRUCK LIGHTS ACCESSORIES

39 Accessories For Truck Lights


#### SPECIALITY AUTOMOBILE ACCESSORIES

40 Speciality Accessories For Automobile

#### CLEARANCE/MARKER LIGHT



#### M02 Series 2.5" Round








#### M02: 2.5" Round, LED, Clearance/Marker Light


7 LED M02-07Amber/Red M02-13Amber/Red 13 LED M02G-07Amber/Red 7 LED M02G-13Amber/Red 13 LED M02F-07Amber/Red 7 LED M02F-13Amber/Red 13 LED Accessories

Plug: PL01-2, PL02-2 Grommet: W/G01 Grommet Flange: W/F01 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M03 Series 2.0" Round







#### M03: 2.0" Round, LED, Clearance/Marker Light

M03-07Amber/Red 7 LED M03-09Amber/Red 9 LED 7 LED M03G-07Amber/Red M03G-09Amber/Red 9 LED M03F-07Amber/Red 7 LED 9 LED M03F-09Amber/Red

- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors


#### **Accessories**

Plug: PL01-2, PL02-2 Grommet: W/G02 Grommet Flange : W/F02 Flange



#### CLEARANCE/MARKER LIGHT

### M04 Series 2.5" Beehive







#### M04: 2.5" Beehive, LED, Clearance/Marker Light

M04-07Amber/Red M04-13Amber/Red 13 LED M04G-07Amber/Red 7 LED M04G-13Amber/Red M04F-07Amber/Red M04F-13Amber/Red 13 LED 7 LED

13 LED


Plug: PL01-2, PL02-2 Grommet: W/G01 Grommet Flange: W/F01 Flange

Accessories

- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M05 Series 2.0" Beehive







#### M05: 2.0" Beehive, LED, Cleara

WOO. 2.0 Declive, LLD, Olearance/ Warker Light				
M05-07Amber/Red	7 LED	M05-09Amber/Red	9 LED	
M05G-07Amber/Red	7 LED	M05G-09Amber/Red	9 LED	
M05F-07Amber/Red	7 LED	M05F-09Amber/Red	9 LED	

- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### Accessories

Plug: PL01-2, PL02-2 Grommet: W/G02 Grommet Flange: W/F02 Flange

#### CLEARANCE/MARKER LIGHT



### M10 Series 5.1"x1.7" Oval



#### M10: 5.1"x1.7" Oval, LED, Clearance/Marker Light

M10-06Amber/Red

- 6 LED
- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Methacrylate: lens)(S.S.: Flange)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M25 Series 3.75"x1.2" Rectangular




#### M25: 3.75"x1.2" Rectangular, LED, Clearance/Marker Light

M25-12Amber/Red

- 12 LED
- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors
- 1 PC Sealed Mounting

#### Series 3.75"x1.2" Rectangular



M26: 3.75"x1.2" Rectangular, LED, Clearance/Marker Light

Accessories

Base Mount Kit: F07

- Electronics completely sealed in epoxy to resist corrosion & moisture.
  Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens)

- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors
- 2 PIN Mounting



### CLEARANCE/MARKER LIGHT

### M27 Series 4.0"x1.0" Rectangular




#### M27: 4.0"X1.0" Rectangular, LED, Clearance/Marker Light

M27-06Amber/Red 6 LED M27-02White 6 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors
   1 PC Sealed Mounting

### M28 Series 2.5"x1.5" Rectangular



#### M28: 2.5"x1.5" Rectangular, LED, Clearance/Marker Light


Accessories Base Mount Kit: F05

M28-06Amber/Red 6 LED

GS-M2802Amber/Red 3 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
   Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors
- 2 PIN Mounting

#### Series 3.5"x2.65" Triangle



M35: 3.5"x2.65" Triangle, LED, Marker Bus/Cab Light

Accessories

M35-24Amber/Red

W/Gasket

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors


#### CLEARANCE/MARKER LIGHT



M36 Series 3.9"x1.9" Oval









M36: 3.9"x1.9" Oval, LED, Clearance/Marker Light

M36-12Amber/Red


12 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

M01 Series 3.9"x1.9" Oval










M01: 3.9"x1.9" Oval, LED, Clearance/Marker Light

M01Amber/Red

12 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

M37 Series 3.0"x1.0" Rectangular



M37: 3.0"x1.0" Rectangular, LED, Mini Clearance/Marker Light

M37-06Amber/Red

6 LED


- Electronics completely sealed in epoxy to resist corrosion & moisture.
  Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens)

- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### CLEARANCE/MARKER LIGHT

### M38 Series 3.0"x1.0" Rectangular




#### M38: 3.0"x1.0" Rectangular, LED, Mini Clearance/Marker Light

M38-06Amber/Red

6 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M39 Series 3.5"x0.8"x1.3" Triangle



#### M39: 3.5"x0.8"x1.3" Triangle, LED, Mini Clearance/Marker Light

M39-06Amber/Red

6 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M44 Series 6.8"x2" Oval



#### M44: 6.8"x2" Oval, LED, Clearance/Marker Light

M44-08Amber/Red

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### CLEARANCE/MARKER LIGHT



#### Series 2.66"x1.32" Rectangular



M51: 2.66"x1.32" Rectangular, LED, Clearance/Marker Light

M5101Amber/Red

2 LED

Accessories

W/S.S. Chrome Mounting Bracket & Eva Gasket

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)(S.S.: Base Mounting)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M52 Series 2.66"x0.96" Rectangular



M52: 2.66"x0.96" Rectangular, LED, Clearance/Marker Light

2 LED

Accessories


W/S.S. Chrome Mounting Bracket & Eva Gasket

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.

M5201Amber/Red

- Material: (Polycarbonate: lens)(S.S.: Base Mounting)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M56 Series 5.9"x2.17" Rectangular



M56: 5.9"x2.17" Rectangular, LED, Clearance/Marker Light

Accessories W/Eva Gasket

M5601Amber/Red

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
   Material: (Methacrylate: lens)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors



### MARKER LIGHT/REFLECTOR

#### S0201 Series 3.9"x1.5"



S0201: 3.9"x1.5", LED, Side Marker Light

S0201Amber/Red


3 LED

Accessories

W/Chrome Bezel

- Electronics completely sealed in epoxy to resist corrosion & moisture.
   Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, the back with 3M Tape

### EC01 Series Eagle Cab Light



EC01: LED, Eagle Cab Light

EC01 Amber/Red/Green/Blue/Purple/Smoke

### R41 Series 1.61"x0.25" Round




R41: 1.61"x0.25" Round, Reflector

R41Amber/Red/Clear

#### STOP/TAIL/TURN/PARKING LIGHT



#### M07 Series 4.0" Round







#### M07: 4.0" Round, 1/2 Moon Base, LED, Stop/Tail/Turn/Parking Light

40 LED M07-61Amber/Red M07-40Amber/Red M07-48Amber/Red 48 LED 61 LED M07G-40Amber/Red 40 LED M07G-48Amber/Red 48 LED M07G-61Amber/Red 61 LED M07F-40Amber/Red 40 LED M07F-48Amber/Red 48 LED M07F-61Amber/Red 61 LED

Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet Flange: W/F03 Flange or Flange Built-In

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M29 Series 4.0" Round







#### M29: 4.0" Round, Flat Base, LED, Stop/Tail/Turn/Parking Light

M29-40Amber/Red 40 LED M29-48Amber/Red 48 LED M29-61Amber/Red M29G-40Amber/Red 40 LED M29G-48Amber/Red 48 LED M29G-61Amber/Red 61 LED 40 LED M29F-48Amber/Red M29F-61Amber/Red M29F-40Amber/Red 48 LED 61 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet Flange: W/F03 Flange or Flange Built-In



#### STOP/TAIL/TURN/PARKING LIGHT

#### M29-08 Series 4.0" Round



#### M29-08: 4.0" Round, LED, Stop/Tail/Turn/Parking Light

M29-08 Amber/Red 8 LED M29-08C Amber/Red 8 LED

W/Clear Lens

Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet Flange: W/F03 Flange

- W/Reflector
- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M29-26 Series 4.0" Round



M29-26: 4.0" Round, LED, Stop/Tail/Turn/Parking Light

M29-26Amber/Red

26 LED

Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet

Flange: W/F03 Flange or W/Flange Built-In

- W/Reflector
- Electronics completely sealed in epoxy to resist corrosion & moisture.
   Less susceptible to shock & vibration.

- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M29-30 Series 4.0" Round



M29-30: 4.0" Round, LED, Stop/Tail/Turn/Parking Light

M29-30Amber/Red


30 LED

Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet

Flange: W/F03 Flange or W/Flange Built-In


- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors






M33 Series 6.5"x2.2" Oval








M33: 6.5"x2.2" Oval,	LED Ston/Tail/Tur	/Parking Light	Accessories
Contract of the Contract of th	W/Flange Built-In	56 LED	Plug: PL03-3, PL04-3
M33-56Amber/Red	TV Trange Danc III	56 LED	Grommet: W/G04 Grommet
M33G-56Amber/Red		56 LED	Flange : W/Flange or W/Flange Built-In
M33F-56Amber/Red	W/Flange	56 LED	
M33-30Amber/Red	0	30 LED	

- Electronics completely sealed in epoxy to resist corrosion & moisture.
   Less susceptible to shock & vibration.
   Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors



### STOP/TAIL/TURN/PARKING LIGHT

### M34 Series 7.0" Round



M34: 7.0" Round, LED, Stop/Tail/Turn/Parking Light

M34-61Amber/Red

- Electronics completely sealed in epoxy to resist corrosion & moisture.
  Less susceptible to shock & vibration.
  Material: (Methacrylate: lens)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M42 Series 4.0" Round





Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet Flange: W/F03 Flange

#### M42: 40" Round LED Ston/Tail/Turn/Parking Light

MITE. T.O HOUNG, LLD,	Stop/ Tall/	Turry Tark	ing Light		
M4233Amber/Red	R/L	33 LED	M42-42Amber/Red	R/L	42 LED
M42G-33Amber/Red	R/L	33 LED	M42G-42Amber/Red	R/L	42 LED
M42F-33Amber/Red	R/L	33 LED	M42F-42Amber/Red	R/L	42 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### STOP/TAIL/TURN/PARKING LIGHT



M33-08 Series 6.5"x2.2" Oval



8 LED

#### M33-08: 6.5"x2.2" Oval, LED, Stop/Tail/Turn/Parking Light Accessories

M33-08 Amber/Red 8 LED

M33-08C Amber/Red

W/Clear Lens

Plug: PL03-3, PL04-3

Grommet: W/G04 Grommet

- W/Reflector
- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M5001 Series 5.32"x3.43" Rectangle



M5001: 5.32 "x3.43" Rectangle, LED, Stop/Tail/Turn/Parking Light

M5001Amber/Red

20 LED

Accessories

Plug: PL03-3, PL04-3

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M5002 Series 6.1"x4.2" Rectangle



M5002: 6.1"x4.2" Rectangle, LED, Stop/Tail/Turn/Parking Light M5002Amber/Red

W/Flange Built-In

20 LED

Accessories Plug: PL03-3, PL04-3

Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### STOP/TAIL/TURN/PARKING LIGHT

#### M5003 Series 6.1"x4.2" Rectangle



#### M5003: 6.1 "x4.2" Rectangle, LED, Stop/Tail/Turn/Parking Light

M5003Amber/Red

W/G05 Grommet

20 LED

Plug: PL03-3, PL04-3

Accessories

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)(Vinyl: Grommet)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M5004 Series 6.1"x4.2" Rectangle



M5004: 6.1 "x4.2" Rectangle, LED, Stop/Tail/Turn/Parking Light

M5004Amber/Red


W/S.S. Flange

20 LED

Accessories Plug: PL03-3, PL04-3

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
   Material: (Polycarbonate: lens)(S.S.: Flange)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M53 Series 6.5"x6.31" Square



#### M53: 6.5"x6.31" Square, LED, Stop/Trail/Turn/ Parking Light

M5301Amber/Red

W/Gasket

30 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### **BRAKE/MARKER LIGHT**



### M47 Series 5.53"x2.89" Oblong



#### M47: 5.53"x2.89" Oblong LED Brake/Marker Light

W147. J.JJ X2.03	Oblong, LED, Drake	Warker Light	
M4701Red	Brake Light	W/Plug	36LED
M4701Amber	Marker Light	W/Plug	36LED
M4702Red	Brake Light		36LED
M4702Amber	Marker Light		36LED


#### Accessories

Accessories W/EVA

W/Gasket

- W/Chrome Bezel
- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### Series 4.91"x1.98" Rectangular



#### M48: 4.91"x1.98" Rectangular, LED, Brake/Marker Light

W40. 4.01 X1.00 Mediangular, LED, Drane, Marker Light					
M4801Red	Brake Light	W/Plug	36LED		
M4801Amber	Marker Light	W/Plug	36LED		
M4802Red	Brake Light		36LED		
M4802Amber	Marker Light		36LED		

- Electronics completely sealed in epoxy to resist corrosion & moisture.
  Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors




Accessories W/Gasket

Accessories W/Gasket

#### BRAKE/MARKER LIGHT

### M54 Series 7.61"x1.67" Oblong




M54: 7.61"x1.67"	Oblong, LED, Brake/	Marker Light	
M5401Red	Brake Light	W/Plug	12LI
ME401 Ambar	Markar Light	W/Dhi-	1011

ED 12LED M5401Amber Marker Light M5402Red 12LED Brake Light M5402Amber Marker Light 12LED

- W/Chrome Bezel
- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### **M55** Series 4.32"x2.7" Oblong



M55: 4.32"x2.7" C	blong, LED, Brake/N	Marker Light	
M5501Red	Brake Light	W/Plug	12LED
M5501Amber	Marker Light	W/Plug	12LED
M5502Red	Brake Light		12LED
M5502Amber	Marker Light		12LED

- W/Chrome Bezel
- Clicking Dezait 
   Electronics completely sealed in epoxy to resist corrosion & moisture.
   Less susceptible to shock & vibration.
   Material: (Polycarbonate: lens)

- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### DOME/BACK-UP LIGHT



### M29-30 Series 4.0" Round





#### M29-30: 4.0" Round, LED, Dome/Back-up Light


M29-30White 30 LED M29G-30White W/G03 Grommet 30 LED M29F-30White 30 LED Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet

Flange: W/F03 Flange or W/Flange Built-In

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)(Vinyl: Grommet)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors

### M29-40 Series 4.0" Rround





#### M29-40: 4.0" Round, LED, Dome/Back-up Light

M29-40White 40 LED M29G-40White 40 LED W/G03 Grommet

M29F-40White 40 LED Accessories

Plug: PL03-3, PL04-3 Grommet: W/G03 Grommet

Flange: W/F03 Flange or W/Flange Built-In


- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### DOME/BACK-UP LIGHT

#### M33 Series 6.5"x2.2" Oval



M33: 6.5"x2.2" Oval, LED, Dome/Back-up Light

Accessories

M3302White M33G02White 30LED Plug: PL03-3, PL04-3 30LED Grommet: W/G04 Grommet

W/G04 Grommet M33F02White 30LED

Flange: W/Flange or W/Flange Built-In

- Electronics completely sealed in epoxy to resist corrosion & moisture.

- Less susceptible to shock & vibration.
  Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M34 Series 7.0" Round



#### M34: 7.0" Round, LED, Dome/Back-up Light


61 LED

- Electronics completely sealed in epoxy to resist corrosion & moisture.
  Less susceptible to shock & vibration.
  Material: (Methacrylate: lens)
  Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### DOME/BACK-UP LIGHT



### M50 Series Rectangle



M5001: 5.32"x3.43"

M5001White M5002: 6.1"x4.2" 20 LED

M5002White

20 LED

M5003: 6.1"x4.2"

M5003White M5004: 6.15"x4.26"

M5004White

20 LED

20 LED


Accessories

Plug: PL03-3, PL04-3

Electronics completely sealed in epoxy to resist corrosion & moisture.
 Less susceptible to shock & vibration.
 Material: M5001(Polycarbonate: lens)
 Material: M5002(Polycarbonate: lens, Flange)
 Material: M5003(Polycarbonate: lens)(Vinyl: Grommet)

- Material: M5004(Polycarbonate: lens)(S.S.: Flange)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### M53 Series 6.5"x6.31" Square



M53: 6.5"x6.31" Square, LED, Dome/Back-up Light

Accessories

M5301White

30 LED

W/Gasket

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors



### TRAILER LIGHT W/S.S. BRACKET

#### S.S. Bracket For Trailer Light



#### TRAILER LIGHT



#### TLM53G201 Series 14.25"x8.46"



Accessories

S.S. Bracket: M53-201

#### TLM53G201: 14.25"x8.46" LED, Trailer Light

TLM53G201 M5301Amber+Red for Left

TLM53G201 M5301Red+Amber for Right

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### TLM29G/F101 Series 6.3"x7.3", For 4" Round



#### TLM29G/F101: 6.3"x7.3" LED, Trailer Light

TLM29G/F101 M29G/F-30Amber TLM29G/F101 M29G/F-30Red

Accessories

S.S. Bracket: 101

W/G03 Grommet or W/F03 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
   Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### TRAILER LIGHT

#### TLM29G/F201 Series 12.2"x7.3", For 4" Round



#### TLM29G/F201: 12.2"x7.3" LED, Trailer Light

TLM29G/F201 M29G/F-40Amber+Red for Left TLM29G/F201

M29G/F-40Red+Amber for Right Accessories

S.S. Bracket: 201

W/G03 Grommet or W/F03 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### TLM29G/F202 Series 12.2"x6.1"x1.3", For 4" Round



#### TLM29G/F202: 12.2"x6.1"x1.3" LED, Trailer Light

TLM29G/F202 M29G/F-40Amber+Red for Left TLM29G/F202 M29G/F-40Red+Amber for Right

#### Accessories

S.S. Bracket W/90 degree flange: 202 W/G03 Grommet or W/F03 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### TRAILER LIGHT



#### TLM29G/F301 Series 18.1"x7.3", For 4" Round



#### TLM29G/F301: 18.1"x7.3" LED, Trailer Light

TLM29G/F301 M29G/F-40Amber+Red+Red for Left

M29G/F-40Red+Red+Amber TLM29G/F301

Accessories

S.S. Bracket: 301

for Right W/G03 Grommet or W/F03 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors

#### TLM29G/F302 Series 18.1"x6.1"x1.3", For 4" Round



#### TLM29G/F302: 18.1 "x6.1" x1.3" LED, Trailer Light

M29G/F-40Amber+Red+Red for Left TLM29G/F302 M29G/F-40Red+Red+Amber

S.S. Bracket W/90 degree flange: 302 for Right W/G03 Grommet or W/F03 Flange

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange)(Vinyl: Grommet)
- O Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### TRAILER LIGHT

#### TLM29G/F304 Series 18.1"x6.1"x1.3", For 4" Round



#### TLM29G/F304: 18.1 "x6.1" x1.3" LED, Trailer Light

Accessories

TLM29G/F304 M29G/F-40Amber+Red+White for Left TLM29G/F304 M29G/F-40White+Red+Amber for Right W/G03 Grommet or W/F03 Flange


S.S. Bracket W/90 degree flange: 302

- Electronics completely sealed in epoxy to resist corrosion & moisture.
- Less susceptible to shock & vibration.
- Material: (Polycarbonate: lens, Flange) (Vinyl: Grommet)
   Potted Circuit Board, Fits Standard Mounting Holes & Connectors



#### LED LIGHT BAR

### LB-M28 Series 16.6"x1.54"x1.54"



#### LB-M28: 16.6"x1.54"x1.54" Sealed LED, Pre-wired on enameled steel Lights Bar

LB-M28-03A/R	(GS-M2802Amber/Red x 3PC)
LB-M28-04A/R	(GS-M2802Amber/Red x 3PC)
LB-M28-05A/R	(GS-M2802Amber/Red x 3PC)
LB-M28-07A/R	(GS-M2802Amber/Red x 3PC)

#### Accessories


 (GS-M2802Amber/Red x 3PC)
 F08 Black Flange
 + F08 Black Bar

 (GS-M2802Amber/Red x 3PC)
 F08 Chrome Flange
 + F08 White Bar

 (GS-M2802Amber/Red x 3PC)
 F08 Chrome Flange
 + F08 Black Bar

 (GS-M2802Amber/Red x 3PC)
 F08 Black Flange
 + F08 White Bar

### LB-M37 Series 16.6"x1.04"x1.55"



 LB-M37: 16.6 "x1.04" x1.55" Sealed LED, Pre-wired on enameled steel Lights Bar
 Accessories


 LB-M37-03A/R
 (M37-06Amber/Red x 3PC)
 F09 Black Bar

 LB-M37-04A/R
 (M37-06Amber/Red x 3PC)
 F09 White Bar




#### LED LIGHT BAR

#### LB-M25 Series 43.31"x2.36"x1.38"



<u>LB-M25: 43.31"x2.36"x1.38" LED, Lights Bar with S.S. Mounting Bracket</u> LB-M25-4R4A (M25-12R x 4PC) + (M25-12A x 4PC)

### LB-M25 Series 27.56"x1.58"x1.38"




<u>LB-M25: 27.56"x1.58"x1.38" LED, Lights Bar with S.S. Mounting Bracket</u> LB-M25-5R (M25-12R x 5PC)




### LED LIGHT BAR

LB-M33 Series 51.18"x4.33"x1.73"



<u>LB-M33: 51.18"x4.33"x1.73" LED, Lights Bar with S.S. Mounting Bracket</u> LB-M33FC-3R2A (M33FC-56R x 3PC) + (M33FC-56A x 2PC)

### LB-M33 Series 43.31"x4.33"x1.73"




<u>LB-M33: 43.31"x4.33"x1.73" LED, Lights Bar with S.S. Mounting Bracket</u> LB-M33FC-4R (M33FC-56R x 4PC)



#### LED LIGHT BAR

### LB-M54 Series 43.31"x2.36"x1.11"




<u>LB-M54: 43.31"x2.36"x1.11" LED, Lights Bar with S.S. Mounting Bracket</u> LB-M54-4R (M5402R x 4PC)


#### B Series




B: LED, Light	ts Bar		
B1001R	11"x1"x0.66"	12V/24V	12Red LED
B2001R	20"x1"x0.66"	12V/24V	24Red LED
B3001R	30"x1"x0.66"	12V/24V	36Red LED
B4001R	39.9"x1"x0.66"	12V/24V	48Red LED
B5001R	49.9"x1"x0.66"	12V/24V	60Red LED
B6001R	59.8"x1"x0.66"	12V/24V	72Red LED
B7001R	69.8"x1"x0.66"	12V/24V	84Red LED
B8001R	79.6"x1"x0.66"	12V/24V	96Red LED




































### 3RD BRAKE LIGHT (UNIVERSAL)





#### LED REPLACEMENT BULB









#### ACCESSORIES FOR TRUCK LIGHTS

#### G Series Vinyl Grommet, Black



#### F Series Plastic Flange, Black/Gray/White/Chrome



#### PL Series PVC Plug Connectors





### ACCESSORIES FOR AUTOMOBILE











## LED LIGHTS Auto Accessories

#### Grand South-Group INT'L CO.

No.23, Ln. 305, Qionglin S. Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Tel: +886-2-22021800 Fax: +886-2-22021452

E-mail: leegold@ms2.hinet.net Website: http://www.leegold.com.tw

#### RI-TAR ENTERPRISES, INC.

609, 107th Street Arlington, TX

Tel: 817-385-4967 Fax: 817-385-4970

E-mail: sales@leegold.net